



# DECK LOG BOOK

OF THE

U.S.S. ABBOT

(DE-629)  
IDENTIFICATION NUMBER

COMMANDED BY

A. H. CRAIG, COR, U. S. N.

Attached to { \_\_\_\_\_ Division,  
 \_\_\_\_\_ Squadron,  
 \_\_\_\_\_ Flotilla,  
 \_\_\_\_\_ Fleet,  
 \_\_\_\_\_ Naval District.

Commencing 1 NOVEMBER, 19 61,  
(zone time and date)

at Newport, Rhode Island  
(location)

and ending 2400, 30 NOVEMBER, 19 61,  
(zone time and date)

at Newport, Rhode Island  
(location)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) 1-30 November 19 61  
(Day) (Date) (Month)

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION R + 5 DATE Wednesday 1 November 1961  
AT/PASSAGE FROM Berth 263, Pier 2 TO U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	200	3	6	CLR	29.56	50	49						
02	180	3	6	CLR	29.56	51	50						
03	180	3	6	CLR	29.58	53	51						
04	200	3	6	CLR	29.58	54	52						
05	225	4	6	CLR	29.59	56	54						
06	235	4	6	CLR	29.59	56	55						
07	225	5	6	CLR	29.57	55	55						
08	235	5	6	CLR	29.55	57	55						
09	250	5	6	CLR	29.53	57	57						
10	240	6	8	CLR	29.51	58	58						
11	230	7	8	CLR	29.49	62	62						
12	225	7	8	CLR	29.47	63	63						
13	215	7	8	CLR	29.49	58	58						
14	195	6	8	CLR	29.52	60	60						
15	180	5	8	CLR	29.54	63	63						
16	180	7	8	CLR	29.56	63	63						
17	185	8	8	CLR	29.58	60	60						
18	180	9	8	CLR	29.60	57	57						
19	160	10	8	CLR	29.60	57	55						
20	150	10	8	CLR	29.62	57	55						
21	145	11	8	CLR	29.63	57	55						
22	128	12	7	CLR	29.64	56	55						
23	122	10	7	CLR	29.65	52	50						
24	118	10	7	CLR	29.67	52	50						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moored port side to U.S.S. Glennon (DD-840) in a nest of four ships with standard destroyer mooring line, doubled. Ships outboard from the pier are: U.S.S. Gaxemite (AO-19), Glennon, Abbot, and U.S.S. Greenwood (DE-679). This ship receiving miscellaneous services from the pier. Condition of readiness I and Material Condition Yoke are set. SOPA is Com Des Lant aboard U.S.S. Gaxemite. Ships present include various units of U.S. Atlantic Fleet and local service craft.

Eugene J. Gallagher  
Ens. USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: Harrington, J.E. 5392829, SA, USN, unauthorized absentee since 0500 this date.

Eugene J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

WEDNESDAY 1 NOVEMBER, 19 61  
(Day) (Date) (Month)

08-12 Moored as before. <sup>PBE</sup> ~~0835~~ 0831 Harrington, James E, 539 28 29, SA, USN returned aboard having been AOC since 0500 this date. a period of 3 hours and 31 minutes 0840 Phillips, James M., 601768/1100 LT., USN departed the ship under orders to Commanding Officer, NROTC Unit, Cornell University 1010 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

US Ellis  
ENS. USNR

12-16 Moored as before. 1300 USS Greenwood (DE-679) breast out to starboard. 1335 USS John W. Hall (DE-1027) and GREENWOOD moored respectively to starboard 1445 Commenced taking on fresh water 1510 Seawater taking on fresh water 5454 gas received.

US Ellis  
ENS. USNR

16-20 Moored as before.

US Ellis  
ENS. USNR

20-24 Moored as before

US Ellis  
ENS. USNR

APPROVED:

A. H. Craig CDR., U. S. N. COMMANDING

EXAMINED:

Roburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



# DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +SR DATE THURSDAY 2 NOVEMBER, 19 61  
(Day) (Date) (Month)

AT/PASSAGE FROM \_\_\_\_\_ TO \_\_\_\_\_

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	320	8	8	CLR	29.99	48	47						
02	322	8	8	CLR	30.01	44	42						
03	325	7	8	CLR	30.03	43	42						
04	330	5	8	CLR	30.05	42	40						
05	335	5	8	CLR	30.07	42	40						
06	325	5	8	CLR	30.09	42	40						
07	315	5	8	CLR	30.11	42	41						
08	297	5	8	CLR	30.13	44	43						
09	280	5	8	CLR	30.12	46	44						
10	260	4	8	CLR	30.10	48	46						
11	245	4	8	CLR	30.08	49	48						
12	228	4	8	CLR	30.06	51	50						
13	230	3	8	CLR	30.04	53	52						
14	230	3	8	CLR	30.05	56	53						
15	220	3	8	CLR	30.05	55	53						
16	220	3	8	CLR	30.05	54	52						
17	235	4	8	CLR	30.04	54	52						
18	230	3	8	CLR	30.03	54	51						
19	230	3	8	CLR	30.03	53	51						
20	235	3	8	CLR	30.03	52	50						
21	235	4	7	CLR	30.04	52	50						
22	235	5	7	CLR	30.04	50	49						
23	230	5	7	CLR	30.03	49	49						
24	230	5	7	CLR	30.03	49	48						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM _____ (ZT) _____ (Date)	
TO _____ (ZT) _____ (Date)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
_____

FUEL CONSUMED 0000-2400
_____

## REMARKS

00-04 Moved as before in a nest of four ships outbound from pier #2 at Newport, R.I.: USS YAMITE (AD-19), USS GLENN (DD-840), ABBOT, USS JOHN WILLIS (DE-1027) and USS GREENWOOD (DE-675). The plant is cold. Receiving water stem, electrical power and telephone services from the pier. 'SOPA' is CONDENSANT in YAMITE.

EB ELL  
ENS. USNR

04-08 Moved as before

EB ELL  
ENS. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot DD 629 Thursday 2 Nov 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 1626 Made daily inspection of magazines and smokeless powder samples. Conditions normal.  
C. F. Egan  
Ensign USNR

12-16 Moored as before.  
C. F. Egan  
Ensign USNR

16-20 Moored as before. 1622 USS CAIRO (DE 251) and USS GREENWOOD (DE 679) moved alongside the boat, outward of USS John Willis.  
C. F. Egan  
Ensign USNR

20-24 Moored as before.  
C. F. Egan  
Ensign USNR

APPROVED:

EXAMINED:

A. H. Craig, CD2, U. S. N. COMMANDING

Roburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS Abbot (DD629) ZONE DESCRIPTION +5 R DATE Friday 3 Nov, 19 67  
AT/PASSAGE FROM Berth 263, Pier 2, V.S. - TO - Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	230	5	6	CIR	30.03	49	48						
02	230	5	6	CIR	30.05	49	48						
03	230	5	6	CIR	30.08	49	48						
04	230	5	6	CIR	30.11	49	48						
05	230	5	6	CIR	30.13	49	48						
06	230	5	6	CIR	30.15	50	50						
07	235	4	7	OVC	30.18	53	52						
08	240	4	7	OVC	30.20	55	54						
09	240	5	7	OVC	30.21	58	57						
10	240	5	7	OVC	30.24	60	58						
11	240	5	7	OVC	30.26	60	59						
12	235	5	7	OVC	30.28	60	59						
13	235	5	7	OVC	30.30	60	59						
14	250	5	7	OVC	30.28	60	59						
15	225	5	6	OVC	30.26	60	60						
16	200	5	6	OVC	30.24	60	60						
17	190	5	6	OVC	30.24	60	60						
18	180	5	6	OVC	30.23	60	60						
19	170	5	6	OVC	30.22	61	61						
20	150	5	6	OVC	30.22	61	61						
21	149	3	7	CIR	30.24	59	59						
22	145	3	7	CIR	30.24	59	58						
23	143	3	7	CIR	30.26	57	57						
24	140	3	7	CIR	30.28	58	57						

POSITION ZONE TIME

0800 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

1200 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

2000 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_

MID. λ \_\_\_\_\_

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Manned port side to USS GLENNON (DD 840) in berth 263, Pier 2, V.S. Naval Base, Newport, R.I. Using standard destroyer mooring lines doubled with 8" storm lines forward and aft. Ships in the West are USS Yosemite (AO-19), USS GLENNON, USS Abbot, USS John Willis (DE-107), USS CAMP (DER 251) and USS GREENWOOD (DE 679). This ship is on cold iron receiving all utilities from pier two. Other ship present include units of the U.S. Atlantic Fleet and local service craft. SOPA to Comdee house in USS YOSEMITE.

C. F. Egan  
Ensign USNR

04-09 Manned as before. 0745 Mustered the Crew at Quarters No Unauthorized Absentees.

C. F. Egan  
Ensign USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP 43605 DDG29

FRI  
(Day)

3  
(Date)

NOV  
(Month)

1961

08-12 Moored as before. 0815 Made daily inspection of magazines and smokeless powder sample, conditions normal. 0900 Made weekly inspection of magazine sprinkler systems, conditions satisfactory. 1000 Made weekly degaussing system inspection, conditions satisfactory.

B.T. Riem  
Ltjg USN

12-16 Moored as before.

B.T. Riem  
Ltjg USN

16-20 Moored as before.

B.T. Riem  
Ltjg USN

20-24 Moored as before.

B.T. Riem  
Ltjg USN

APPROVED:

A. W. Loring, CDR, U.S.N. COMMANDING

EXAMINED:

Roburn USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION TSR DATE SATURDAY 4 NOVEMBER, 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM BERTH 263, PIER 2 TO U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	163	4	8	CLR	30.24	57	57						
02	163	3	8	CLR	30.24	57	57						
03	175	4	8	CLR	30.25	57	57						
04	180	4	7	CLR	30.25	57	56						
05	175	3	7	CLR	30.23	58	57						
06	155	3	7	CLR	30.20	58	57						
07	145	5	8	CLR	30.20	60	60						
08	120	5	8	CLR	30.22	62	61						
09	090	5	8	CLR	30.23	64	63						
10	090	5	8	CLR	30.22	65	65						
11	080	5	8	CLR	30.21	66	65						
12	090	5	8	CLR	30.20	66	65						
13	090	7	8	CLR	30.20	67	67						
14	090	7	8	CLR	30.22	67	67						
15	090	7	8	CLR	30.22	67	67						
16	115	7	8	CLR	30.22	67	66						
17	125	6	8	CLR	30.22	66	65						
18	135	6	8	CLR	30.24	65	64						
19	150	5	8	CLR	30.24	65	64						
20	140	5	7	CLR	30.24	64	64						
21	130	3	7	CLR	30.24	63	63						
22	130	4	7	CLR	30.22	63	63						
23	130	4	7	CLR	30.22	61	61						
24	095	5	6	CLR	30.21	61	60						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

REMARKS

00-04 Moved portside to the USS GLENNON (DD 840) in a  
rest of ~~the~~ (6) ships in berth 263, Pier 2, U.S. Naval Base  
Newport R.I. with standard destroyer lines doubled and  
storm lines fore and aft. Ships in the rest from the pier outboard  
include the: USS YOSEMITE (AD 19), GLENNON, ABBOT, USS John Willis  
(DE 1027), USS CAMPE (DER 251) and the USS GREENWOOD (DE 689).  
Receiving various service from the pier. Condition of readiness  
and material condition YOKO are set. SOPA is COMMISSION  
12 in the USS DAVIS (DD 933). Ships present include various  
units of the U.S. ATLANTIC fleet, and harbor and district  
craft. 8

BT Henry  
USN

04-08 Moved as before. 0745 Mustered the crew at quarters,  
absentees none.

RJ Henry  
USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Saturday 4 November, 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 0900 Capt. R.K. Joslin, USN, Commander U.S. Naval Destroyer School arrived for personnel and material inspection. 1000 Made daily inspection of magazine and smokeless powder samples. Conditions normal. 1155 Capt. Joslin departed the ship.

Eugene J. Gallagher  
Ens. USNR

12-16 Moored as before. Pursuant to BuPers msg 24223Z Oct, LCDR R.H. Small, USN, 543172, relieved LCDR W.C. Magee, USN, 433091 of duties as Executive Officer.

Eugene J. Gallagher  
Ens. USNR

16-20 Moored as before.

Eugene J. Gallagher  
Ens. USNR

20-24 Moored as before.

Eugene J. Gallagher  
Ens. USNR

APPROVED:

A. W. Craig, CDR, U.S.N. COMMANDING

EXAMINED:

Robert L. TSG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 R DATE Sunday 5 November, 19 61  
AT/PASSAGE FROM Berth 263 Pier 2 TO U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	090	4	7	CLR	30.21	61	60						
02	090	4	7	CLR	30.22	60	60						
03	085	4	7	CLR	30.23	60	59						
04	080	3	7	CLR	30.23	61	61						
05	070	2	7	CLR	30.24	61	60						
06	080	2	8	CLR	30.24	62	61						
07	120	2	8	CLR	30.24	64	63						
08	152	5	8	CLR	30.23	64	63						
09	160	4	8	CLR	30.21	64	64						
10	167	4	8	CLR	30.20	63	63						
11	170	6	8	CLR	30.18	63	62						
12	176	5	8	CLR	30.20	65	64						
13	170	3	8	CLR	30.19	66	65						
14	167	3	8	CLR	30.18	68	67						
15	150	5	8	CLR	30.16	70	68						
16	120	5	8	CLR	30.14	68	65						
17	120	5	6	OVC	30.12	65	63						
18	165	5	6	OVC	30.10	65	63						
19	185	5	6	OVC	30.10	64	63						
20	165	5	6	OVC	30.10	64	64						
21	180	4	6	OVC	30.10	62	61						
22	190	3	2	FOG	30.09	61	61						
23	200	3	2	FOG	30.09	61	61						
24	210	2	2	FOG	30.08	60	60						

POSITION	ZONE	TIME
0600		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L.	
MID. λ	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moved port side to U.S.S. Glennon (DD-840) in a nest of six ships, with standard destroyer meeting line, doubled. Ships outboard from the pier: U.S.S. Yosemite (AD-19), Glennon, Abbot, U.S.S. John Willis (DE-1027), U.S.S. Camp ( ), U.S.S. Greenwood (DE-678). This ship receiving miscellaneous utilities from the pier. Condition of readiness II and Material Condition Yoke are set. SOPA is Com Des Ron 12 aboard U.S.S. Davis (DD-933). Ships present include various units of U.S. Atlantic Fleet and local service craft.

Eugene J. Gallagher  
Ensign USNR

04-08 Moved as before. 0745 Mustered the crew on stations, no unauthorized absentees.

Eugene J. Gallagher  
Ensign USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

Sunday 5 November, 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 1000 Made daily inspection of magazine and smelters powder samples. Conditions normal.

Eugene J. Gallagher  
Ens. USNR

12-16 Moored as before. 1235 Pursuant to BuPers msg. 241633Z Oct, LCDR W.C. Magee, 433091, USN, was detached from this ship with orders to report to U.S.S. Claud Jones (DE-1033) for duty as Commanding Officer.

Eugene J. Gallagher  
Ens. USNR

16-20 Moored as before.

Eugene J. Gallagher  
Ens. USNR

20-24 Moored as before.

Eugene J. Gallagher  
Ens. USNR

APPROVED:

A. H. Craig, CDR, U.S.N. COMMANDING

EXAMINED:

Robert USN, NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



# DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 R DATE Monday 6 November, 19 61  
AT/PASSAGE FROM Berth 263 Pier 2 TO U.S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	180	3	1	FOG	30.10	61	60										
02	190	2	1	FOG	30.10	60	60										
03	190	2	1	FOG	30.10	60	60										
04	200	2	1	FOG	30.10	60	59										
05	210	3	1	FOG	30.10	60	59										
06	215	2	1	FOG	30.10	60	60										
07	220	2	1	FOG	30.10	61	60										
08	240	2	2	FOG	30.11	62	61										
09	280	2	2	FOG	30.12	63	63										
10	283	2	2	FOG	30.13	64	83										
11	295	2	2	FOG	30.14	65	64										
12	300	2	2	FOG	30.15	66	66										
13	320	4	2	FOG	30.14	68	68										
14	315	2	2	FOG	30.12	68	67										
15	315	2	2	FOG	30.10	68	67										
16	300	2	2	FOG	30.09	68	67										
17	290	2	2	FOG	30.07	66	65										
18	270	2	2	FOG	30.04	64	63										
19	285	2	1	FOG	30.05	61	61										
20	303	3	4	OVC	30.06	60	60										
21	325	4	4	OVC	30.08	59	58										
22	320	3	6	OVC	30.09	58	57										
23	340	3	6	OVC	30.10	57	57										
24	348	2	6	OVC	30.10	56	55										

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L. \_\_\_\_\_

MID. λ. \_\_\_\_\_

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

## REMARKS

00-04 Moored port side to U.S.S. Glennon (DD-840) at Berth 243, Pier 2, U.S. Naval Base, Newport, R.I. in a row of six ships, with standard destroyer mooring lines doubled. Ships outboard from the pier: U.S.S. Gosenite (AD-19), Glennon, Abbot, U.S.S. John Willis (DE-1027), U.S.S. Camp, U.S.S. Greenwood (DE-679). This ship receiving miscellaneous utilities from the pier. Condition of readiness IV and material condition code are set. SOPA is ComDes Ron 12 aboard U.S.S. Davis (DD-933). Ships present include various units of U.S. Atlantic Fleet and local service craft.

Eugene J. Gallagher  
Ens. USNR

04-08 Moored as before. 0745 Mustered the crew at quarters; no unaccounted-for absentees. U.S.S. Greenwood underway from the pier.

Eugene J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

MONDAY  
(Day)

6  
(Date)

NOVEMBER 19 61  
(Month)

08-12 Moored as before 0815 Secured taking on fresh water. 7354 gallons received. 0920 Ltjg G.G. Molina, Ltjg P.B. Salazar, and Ltjg A.P. Carrillo of the Ecuadorian Navy reported aboard for temporary duty. 0955 Demonsuete, D.A. 9029065, SN, left the ship for operation from the naval service. 0958 Made daily inspection of magazine and powder samples; conditions normal.

P.B. Elli  
ENS. USNR

12-16 Moored as before 1145 USS DEALEY (DE-1006) joined the nest.

P.B. Elli  
ENS. USNR

16-20 Moored as before 1747 Commenced taking on fresh water. 1824. Secured taking on water. 8502 gallons received

20-24 Moored as before

P.B. Elli  
ENS. USNR

P.B. Elli  
ENS. USNR

APPROVED:

A. W. Craig, CDR, U.S.N. COMMANDING

EXAMINED:

Roburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



# DECK LOG SHEET—TYPE B

USS ABBOT DD629 ZONE DESCRIPTION +5R DATE TUESDAY 7 Nov. 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM NEWPORT, R.I. TO BERTH 263, PIER 2, U.S. NAVAL BASE

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbol)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	285	3	5	Haze	30.00	56	54						
02	255	3	5	Haze	29.97	55	53						
03	255	3	5	Haze	29.94	55	53						
04	260	3	4	Haze	29.93	57	55						
05	260	3	4	Haze	29.91	57	55						
06	263	3	5	VC	29.91	58	56						
07	300	3	2	Fog	29.90	59	58						
08	300	3	1	Fog	29.89	57	56						
09	280	3	2	Fog	29.87	60	59						
10	280	3	5	VC	29.85	59	58						
11	280	5	5	VC	29.82	59	57						
12	280	5	5	VC	29.80	60	57						
13	225	6	5	VC	29.80	60	57						
14	240	6	5	VC	29.78	65	62						
15	240	3	8	BKN	29.78	69	66						
16	250	3	8	BKN	29.79	64	61						
17	260	5	8	BKN	29.79	61	58						
18	265	4	8	BKN	29.78	57	53						
19	270	7	8	BKN	29.80	56	52						
20	270	5	5	VC	29.80	56	52						
21	270	6	2	Haze	29.80	51	47						
22	270	6	2	Fog	29.80	49	45						
23	270	6	2	Fog	29.80	48	44						
24	250	5	4	VC	29.81	50	46						

POSITION ZONE TIME

0800 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

1200 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

2000 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L. \_\_\_\_\_

MID. λ. \_\_\_\_\_

MILES STEAMED 0000-2400

\_\_\_\_\_

FUEL CONSUMED 0000-2400

\_\_\_\_\_

## REMARKS

00-04 Moved as before in berth 263 at pier #2 in Newport R.I. PBE  
in a nest of six ships, outboard from the pier USS Yosemite (AO-19)  
USS Glenmon (DD-840), ABBOT, USS John Willis (DE-1027) USS Camp  
(DER-251) and USS Dealey (DE-1006). Standard destroyer mooring  
iris doubled. Plant is cold. Receiving power, freshwater,  
steam and telephone services from the pier. SOPA is  
Comdr Ron 12 aboard USS Davis (DD-432)

PB Elli  
ENS. USNR

04-08 Moved as before. 0745 Mustered the crew at quarters. No  
unauthorized absentees.

PB Elli  
ENS. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD 629)

Tuesday 7 Nov, 1961  
(Day) (Date) (Month)

08-12 Moored as before. 1040 Made daily inspection of magazines and  
Smokeless Powder Tests. Samples. Conditions Normal.

C. F. Egan  
Ensign USNR

12-16 Moored as before.

C. F. Egan  
Ensign USNR

16-20 Moored as before.

C. F. Egan  
Ensign USNR

20-24 Moored as before.

C. F. Egan  
Ensign USNR

APPROVED:

A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Robert L. S. G. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS Abbot (DD 629) ZONE DESCRIPTION +5 R DATE Wednesday 8 Nov, 19 61  
 AT/PASSAGE FROM Berth 263, Pier 2, U.S. Naval Base, Newport, R.I. TO Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Symbol)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	190	6	7	CLR	29.81	52	52						
02	200	7	7	CLR	29.82	52	51						
03	190	7	7	CLR	29.82	50	50						
04	200	6	7	CLR	29.82	51	50						
05	190	6	7	CLR	29.81	52	51						
06	200	5	8	CLR	29.81	52	51						
07	215	5	8	CLR	29.80	54	54						
08	228	4	8	CLR	29.82	55	55						
09	244	3	8	CLR	29.84	55	54						
10	260	2	8	CLR	29.86	58	56						
11	280	2	8	CLR	29.88	60	58						
12	290	2	8	CLR	29.90	62	60						
13	293	2	8	CLR	29.92	62	62						
14	295	2	8	CLR	29.94	60	60						
15	300	2	8	CLR	29.96	58	58						
16	290	2	8	CLR	29.98	57	57						
17	280	3	8	CLR	30.00	56	56						
18	274	3	8	CLR	30.02	60	59						
19	261	3	8	CLR	30.03	60	59						
20	255	3	8	CLR	30.04	58	57						
21	250	3	7	CLR	30.06	56	55						
22	246	2	7	CLR	30.07	54	54						
23	241	2	7	CLR	30.08	52	52						
24	222	2	7	CLR	30.09	50	50						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
 2—ELECTRONIC  
 3—VISUAL  
 4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

REMARKS

00-04 Moored port side to USS GLENNON (DD 840) in berth 263, Pier 2, U.S. Naval Base, Newport, R.I., U.S.N. Standard Destroyer mooring lines doubled plus 8" storm lines forward and astern. Ships in the West Arm are USS Yosemite (AD 61), USS GLENNON, USS Abbot, USS John Willis (DE 1027), USS CAMP (DER 251) and USS DEALY (DE 1006). Condition of readiness V and Modiscel material Condition Yoke are set. This ship is on Cold Iron receiving all utilities from Pier Two. Other ships present include units of the U.S. Atlantic Fleet and Local Service Craft. SOPA is Com DesRon 12 in USS YOSEMITE. CDR Com DesRon 12 in USS DAVIS (DD 937)

C. F. Egan  
 Ensign USNR

04-08 Moored as before. 0745 Mustered the crew at Quarters. No Unauthorized absentees.

C. F. Egan  
 Ensign USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-624)

Wednesday 8 November, 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 0845 Made daily inspection of magazine and  
smokeless powder samples. Conditions normal.

Eugene J. Gallagher  
Ens. USNR

12-16 Moored as before.

Eugene J. Gallagher  
Ens. USNR

16-20 Moored as before. 1650 Held fire drill. 1705 Secured from fire drill.

Eugene J. Gallagher  
Ens. USNR

20-24 Moored as before.

Eugene J. Gallagher  
Ens. USNR

APPROVED:

A. W. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Roburn LTB, U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



# DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 R DATE Thursday 9 November 1961  
AT/PASSAGE FROM Berth 263, Pier 2 TO U.S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	222	4	7	CLR	29.70	40	40						
02	220	3	7	CLR	29.68	40	40						
03	220	3	7	CLR	29.66	40	40						
04	240	5	7	CLR	29.64	40	40						
05	230	5	7	CLR	29.62	40	40						
06	250	5	7	CLR	29.62	40	40						
07	260	6	7	CLR	29.62	41	41						
08	278	6	7	CLR	29.60	42	41						
09	295	6	7	CLR	29.59	43	42						
10	290	7	7	CLR	29.58	45	44						
11	280	7	7	CLR	29.57	46	45						
12	280	7	7	CLR	29.56	45	45						
13	285	7	6	OVC	29.55	45	45						
14	275	7	6	OVC	29.54	44	43						
15	275	8	6	OVC	29.52	43	43						
16	270	8	6	OVC	29.51	42	42						
17	270	8	6	OVC	29.52	43	42						
18	275	8	6	OVC	29.52	41	40						
19	275	8	6	OVC	29.52	40	40						
20	275	8	6	OVC	29.52	39	38						
21	265	7	6	OVC	29.53	39	38						
22	255	6	6	OVC	29.54	39	39						
23	245	5	6	OVC	29.54	39	39						
24	235	5	6	OVC	29.54	39	39						

POSITION	ZONE	TIME
0600		
L <u>In</u>	BY	
λ <u>Port</u>	BY	
1200		
L <u>Port</u>	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

## REMARKS

00-04 Moored port side to USS. Glennon (DD-840) at Berth 263, Pier 2, U.S. Naval Base, Newport, R.I. in a row of seven ships, with standard destroyer mooring lines, doubled, and storm lines (8") forward and aft. Ships outboard from the pier are: U.S.S. Yosemite (AD-19), U.S.S. Glennon (DD-840), ABBOT, U.S.S. John Wilkes (DE-1021), U.S.S. Camp (DER-251), U.S.S. Dealy (DE-1006), and U.S.S. Greenwood (DE-679). Condition of readiness IV and Material Condition Yoke are set. This ship is on Cold Iron, and receiving all utilities from the pier. SOPA is ComDes Ron 12 in U.S.S. Davis (DD-937). Ships present include various units of U.S. Atlantic Fleet and local service craft.

Eugene J. Gallagher  
Ens. USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. No unauthorized absentees.

Eugene J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOY (DD 629) THURS 9 NOV 1961  
(Day) (Date) (Month)

08-12 Moored as before. 1035 Made daily inspection of magazines and smokeless powder samples, conditions normal. Made weekly inspection of magazine sprinkler systems, conditions satisfactory. 1152 CONDEBROS 24 arrived SOPA, WARRABAY SOBAROA.

B. F. Meyer  
Ltjg, USN

12-16 Moored as before. 1240 Shifted from shore power to ship's diesel power. Disconnected all cables and steam and fresh <sup>water</sup> lines to pier 1305. Pilot aboard. 1334 Hoisted out under <sup>^</sup> tug power as rest consisting of the ABBOY, JOHN WILLIS CAMP, DEWOLF AND GREENWOOD to allow YD 75 alongside the GLENNON. 1400 Moored alongside YD 75 with standard destroyer mooring lines <sup>doubled</sup> to the USS GLENNON and doubled while repairs being made on the GLENNON.

B. F. Meyer  
Ltjg, USN

16-20 Moored as before. 1638 Set the special sea and anchor detail. 1646 Hoisted out to clear YD 75 and allow YD to clear GLENNON. 1658 Moored alongside GLENNON. 1703 All lines doubled. Secured the special sea and anchor detail. 1815 Shifted from ship's power to shore power.

B. F. Meyer  
Ltjg, USN

20-24. Moored as before

B. F. Meyer  
Ltjg, USN

APPROVED:

EXAMINED:

A. H. Craig, CDR, U.S.N. COMMANDING

P. O'Brien, LTJG, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DDG29) ZONE DESCRIPTION R(+S) DATE FRI 10 NOV 1961  
AT/PASSAGE FROM BERTH 263, PIER 2 TO U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	190	4	7	ovc	29.65	38	38						
02	190	4	7	ovc	29.66	38	38						
03	190	4	7	ovc	29.66	38	38						
04	190	4	7	ovc	29.67	38	38						
05	190	4	7	ovc	29.68	37	37						
06	190	4	7	ovc	29.69	37	36						
07	200	4	7	ovc	29.70	38	37						
08	210	3	8	clr	29.70	39	38						
09	220	3	8	clr	29.71	40	39						
10	230	2	8	clr	29.71	43	41						
11	235	2	8	clr	29.72	45	43						
12	230	2	8	clr	29.73	47	46						
13	229	2	8	clr	29.74	47	46						
14	229	2	8	clr	29.74	46	45						
15	229	2	7	bkn	29.75	45	45						
16	229	2	7	bkn	29.75	43	43						
17	230	2	7	bkn	29.76	41	40						
18	235	3	7	bkn	29.76	40	40						
19	240	3	7	bkn	29.77	39	39						
20	235	4	6	sct	29.78	39	38						
21	230	4	6	sct	29.79	38	38						
22	240	5	6	sct	29.80	38	38						
23	250	5	6	sct	29.81	37	37						
24	260	5	6	sct	29.82	36	36						

POSITION ZONE TIME

0800 L. BY

λ BY

1200 L. BY

λ BY

2000 L. BY

λ BY

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L.

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moved portside to the USS GUENNON (DD848) in a  
west of seven (7) ships in berth 263, pier 2, U.S. Naval  
Base Newport R.I. with standard destroyer mooring lines  
doubled and storm lines fore and aft. Ships in the  
west include from the pier outboard the USS YOSEMITE (AD19)  
USS GUENNON ABBOT USS John Willis (DE 2027) USS CAMPE (DER 251)  
USS DEALEY (DE 1006) and the USS GREENWOOD (DE 689). Readiness  
condition five (5) and material condition Yoke are set.  
Receiving various services from the pier. Ships present  
include various units of the U.S. Atlantic Fleet and harbor and district  
craft. SOPA is COMDESRON 14 in the USS BANDY (DD 934)

04-08 Moored as before. 0745 Mustered the crew at quarters,  
absentees: none.

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

FRIDAY 10 NOVEMBER, 19 61  
(Day) (Date) (Month)

08-12 Moored as before 0915 Commanding Officer, USS Salamander (AO-26) assumed SOPA Namaloy area. 0925. Made daily inspection of magazines and powder samples. Conditions normal.

PB Elli  
ENS USNR

12-16 Moored as before. 1322 Notified by Shore Patrol Headquarters that two ABBOT sailors had been injured in an automobile accident and had been taken to U.S. Naval Hospital, Quonset Point, R.I. Madonga, P.G., #76 2733, TN, USN, and Tamgonam, S.P. 513 1398, TN, USN. 1437 Commenced taking in fresh water. 1455 Secured taking on fresh water, 4494 gallons received.

PB Elli  
ENS USNR

16-20 Moored as before 1715 Ensign P.F. Frick, USN, 647 253, having completed temporary additional duty at Newport School Command returned aboard and resumed his regular duties.

PB Elli  
ENS USNR

22-24 Moored as before

PB Elli  
ENS USNR

APPROVED:

A. N. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Roburn LSG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT DDG29 ZONE DESCRIPTION R (+5) DATE SAT 11 NOV, 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM Benth 223, Pier 2, US Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	240	5	5	SCT	30.00	37	36						
02	230	5	5	SCT	30.01	37	36						
03	230	5	5	SCT	30.01	37	36						
04	240	5	5	SCT	30.01	37	36						
05	250	4	7	SCT	30.00	38	37						
06	270	4	7	SCT	30.01	38	37						
07	280	4	7	SCT	30.02	38	37						
08	300	4	7	SCT	30.03	39	38						
09	305	4	7	SCT	30.04	41	40						
10	310	3	8	CLR	30.05	43	42						
11	315	3	8	CLR	30.06	45	43						
12	300	2	8	CLR	30.07	45	44						
13	280	2	8	CLR	30.08	46	45						
14	270	1	8	CLR	30.09	48	47						
15	270	1	8	CLR	30.10	50	49						
16	260	1	8	CLR	30.11	52	51						
17	270	2	8	CLR	30.12	50	49						
18	270	2	8	CLR	30.13	48	48						
19	270	2	8	CLR	30.14	46	45						
20	280	3	8	CLR	30.15	45	44						
21	275	3	7	CLR	30.16	45	44						
22	280	3	7	CLR	30.18	46	46						
23	280	3	7	CLR	30.19	45	45						
24	280	2	7	CLR	30.19	45	45						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

REMARKS

00-04 Moved portside to USS Glenmon (DD-840) with standard destroyer mooring lines doubled in both #223 at Pier #2, US Naval Base, Newport Rhode Island. ABBOT is in a nest of seven ships, outbound from the pier, USS Yosemite (AD-19), USS Glenmon (DD-840) ABBOT, USS Sam Wilk (DE-1027) USS Camp (DER 251), USS Dealey (DE-1006) USS Greenwood (DE-619). Storm lines are out fore and aft. The ship is receiving electrical power, steam, fresh water, and telephone services from the pier. Readiness and station II and Modified Yds are set. SOPA is Commodore embarked in USS Yosemite (AD-19). Other ships in the area include components of the US Atlantic fleet, yard and district craft.

RES Elee  
ENS. USNR

04-08 Moved as before. 0745 Mustered the crew on deck at quarters. No unauthorized absences. RES

APPROVED:

EXAMINED:

RES Elee  
ENS. USNR

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD629) Saturday 11 Nov 1961  
(Day) (Date) (Month)

08-12 Moved as before 0815 Mustered the Cook on stations.  
Absentees: None. 0935 Made daily inspection of magazines  
and smokeless powder samples. Conditions Normal.

C7Egmb  
Ens VSHR

12-16 Moved as before. 1443 COMBESLANT returned to Newport, broke  
his flag in USS YOSEMITE and assumed SOPA.

C7Egmb  
Ens VSHR

16-20 Moved as before.

C7Egmb  
Ens VSHR

20-24 Moved as before.

C7Egmb  
Ens VSHR.

APPROVED:

EXAMINED:

A. W. Craig, CDZ U. S. N. COMMANDING

Roburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



# DECK LOG SHEET—TYPE B

USS Abbot (DD629) ZONE DESCRIPTION +5 R DATE Sunday 12 November, 19 61  
AT/PASSAGE FROM Berth 263, Pier 2, TO U.S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BILITY (Miles)	WEATH-ER (Symbol)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	180	2	7	BKN	30.20	46	46						
02	180	2	7	BKN	30.21	47	47						
03	180	2	7	BKN	30.22	48	48						
04	193	1	7	BKN	30.24	49	49						
05	200	3	7	BKN	30.25	50	50						
06	210	3	7	BKN	30.26	51	50						
07	220	3	8	CLR	30.26	52	52						
08	230	3	8	CLR	30.27	53	52						
09	250	4	8	CLR	30.28	54	54						
10	265	4	8	CLR	30.29	54	53						
11	270	4	8	CLR	30.29	55	54						
12	290	4	8	CLR	30.30	54	54						
13	290	4	8	CLR	30.30	55	54						
14	290	4	8	CLR	30.30	57	56						
15	290	4	8	CLR	30.30	56	56						
16	280	4	8	CLR	30.31	55	55						
17	270	4	8	CLR	30.31	55	55						
18	265	3	6	OVC	30.32	53	53						
19	260	3	6	OVC	30.32	53	53						
20	280	2	6	OVC	30.32	53	53						
21	280	2	6	OVC	30.31	53	53						
22	275	2	6	OVC	30.31	52	52						
23	270	2	6	OVC	30.30	52	52						
24	260	2	6	OVC	30.30	51	51						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L.	
MID. λ	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

## REMARKS

00-04 Moved port side to USS GLENN (DD840) in a nest of seven ships, in Berth 263, Pier 2, U.S. Naval Base, Newport, R.I., using standard distress mooring lines doubled. Ships in the nest from the pier outboard are USS YOSEMITE (DD629) USS GLENN, USS ABBOT, USS JOHN WILLIS (DE102) USS CHAMP (DD625) USS DEALER ( ) and USS GREENWOOD (DE689). This ship receiving all utilities from the pier. Condition of Personnel FIVE and material condition YOKO are set. Ship's present in dock Units of the U.S. Atlantic Fleet, 4th Fleet, and District Craft. COB is COMDESRANT in USS YOSEMITE.

C. F. Egan Jr.  
Ensign USNR

04-08 Moved in before.

C. F. Egan Jr.  
Ensign USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD 629) Sunday 12 November, 19 61  
(Day) (Date) (Month)

08-12 Moved as before 0800 Mustered the Crew on Stations.  
Absentees: Lewis, J.A. SN, 533 3261, USN, U/A since 0730 this date.  
1015 Made daily inspection of magazines and smokeless powder  
samples. Conditions Normal.

C.F. Egan  
Ensign USNR

12-16 Moved as before

C.F. Egan  
Ensign USNR

16-20 Moved as before

C.F. Egan  
Ensign USNR

20-24 Moved as before

C.F. Egan  
Ensign USNR

APPROVED:

A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Robert L. S. 6, U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS Abbot DD 629 ZONE DESCRIPTION HSR DATE Monday 13 November 1961  
AT/PASSAGE FROM Berth 263, Pier 2, to U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Byz-bola)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	280	3	5	RAIN	30.30	52	52						
02	280	3	5	RAIN	30.30	50	50						
03	275	3	5	RAIN	30.29	50	50						
04	265	3	5	RAIN	30.29	52	52						
05	260	3	5	RAIN	30.31	54	54						
06	250	3	5	RAIN	30.30	55	55						
07	240	3	5	RAIN	30.30	55	55						
08	230	3	2	ovc	30.30	56	55						
09	220	4	2	ovc	30.30	56	55						
10	210	4	2	ovc	30.30	56	55						
11	200	5	2	ovc	30.30	56	55						
12	200	5	2	ovc	30.29	56	55						
13	190	3	2	ovc	30.28	58	56						
14	180	5	2	ovc	30.28	58	57						
15	185	4	5	ovc	30.29	60	59						
16	190	4	5	ovc	30.29	61	61						
17	185	6	7	ovc	30.28	59	59						
18	185	5	7	scT	30.27	57	57						
19	190	6	7	scT	30.27	57	57						
20	194	6	5	scT	30.26	57	57						
21	195	6	5	scT	30.24	57	57						
22	198	6	5	scT	30.24	57	57						
23	195	6	5	scT	30.24	57	57						
24	184	6	5	scT	30.25	57	57						

POSITION ZONE TIME

0600  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

1200  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

2000  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_  
MID. λ \_\_\_\_\_

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moored Port Side to VSS GLENNON (DD 840) in berth 263, Pier 2, U.S. Naval Base, Newport, R.I., using standard Destroyer mooring lines double, in a west of seven ships outboard from the pier: USS YOSEMITE (AD-4), GLENNON, Abbot, USS John Willis (DD-1027) USS CAMP (DD-251) USS DENLEY ( ) and VSS GREENWICH (DD-689). This ship receiving all UTILITIES from the Pier. Condition of Readiness FIVE and material condition indicated Yoke as set. Other ships present include units of the U.S. ATLANTIC FLEET, Yard, and DISTRICT CORPS. COFA is COMDESLANT in USS YOSEMITE.

C. F. Egan  
Ensign USNR

04-08 Moored as before. 0420 Lewis, John A, 533-32-61, SN, USN, Returned aboard having been V/A since 0730, 12 Nov 1961. 0745 Mustered the CREW AT Quarters. Absentees: None.

C. F. Egan  
Ensign USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

Monday 13 November, 1961  
(Day) (Date) (Month)

08-12 Moored as before. 0813 Mast breasted out to allow U.S.S. Glennon (DD-840) to get underway. 0830 U.S.S. Brownson (DD-868) moored port side to U.S.S. Yosemite (AD-19) 0845 Mast breasted in; this ship moved port side to Brownson. 0915 Made daily inspection of magazine and smokeless powder samples. Conditions normal. 0919 U.S.S. Camp (DER-257) breasted out to Berth 267. Ships outboard from the pier: Yosemite, Brownson, Abbot, U.S.S. John Wilkes (DE-1027) U.S.S. Deal (DE-1006), U.S.S. Greenwood (DE-689), and U.S.S. Camp (DER-257). 1108 Shifted from ship's power to shore power.

E. J. Gallagher  
Enr. USNR

12-16 Moored as before.

E. J. Gallagher  
Enr. USNR

16-20 Moored as before.

E. J. Gallagher  
Enr. USNR

20-24 Moored as before.

E. J. Gallagher  
Enr. USNR

APPROVED:

A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Robinson U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



# DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 R DATE Tuesday 14 November, 19 61  
AT/PASSAGE FROM Berth 263, Pier 2 TO U.S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbol)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	182	5	5	OVC	30.25	57	56						
02	187	5	5	OVC	30.23	57	57						
03	172	6	5	OVC	30.20	58	56						
04	170	5	5	OVC	30.18	58	58						
05	170	5	5	OVC	30.16	58	58						
06	172	6	5	RAIN	30.14	57	57						
07	170	5	5	RAIN	30.12	57	57						
08	180	5	5	RAIN	30.11	57	57						
09	180	5	5	RAIN	30.10	57	57						
10	180	5	5	RAIN	30.08	56	56						
11	180	5	5	RAIN	30.06	55	55						
12	180	6	5	RAIN	30.04	55	55						
13	190	7	5	RAIN	30.03	56	55						
14	180	7	5	RAIN	30.01	56	55						
15	190	8	5	RAIN	30.00	56	55						
16	190	9	5	RAIN	29.99	56	55						
17	185	7	5	RAIN	29.99	58	56						
18	185	6	5	RAIN	29.98	58	57						
19	185	6	5	RAIN	29.98	58	57						
20	175	6	5	OVC	30.00	58	58						
21	160	8	5	OVC	30.02	58	58						
22	151	8	5	OVC	30.02	58	58						
23	135	8	5	OVC	30.02	58	58						
24	120	8	5	OVC	30.02	58	58						

POSITION ZONE TIME

0800 L \_\_\_\_\_ BY \_\_\_\_\_

1200 L \_\_\_\_\_ BY \_\_\_\_\_

2000 L \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L. \_\_\_\_\_

MID. λ. \_\_\_\_\_

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

## REMARKS

00-04 Moored port side to U.S.S. Brownson (DD-868) in a nest of seven ships with standard destroyer mooring line, doubled; storm line fore and aft, at Berth 263, Pier 2, U.S. Naval Base, Newport, R.I. Ships outboard from the pier: U.S.S. Goswami (AD-19), Brownson, Abbot, U.S.S. John Willis (DE-1027), U.S.S. Dealey (DE-1002), U.S.S. Greenwood (DE-689), and U.S.S. Camp (DER-351). This ship receiving all utilities from the pier. Condition of readiness IV and Material Condition Yoke are set. SOPA is Com Desant aboard Goswami. Ships present include various units of U.S. Atlantic Fleet and local service craft.

E. J. Gallagher  
Ens. USNR

04-08 Moored as before. 0730 Mustered the crew at foul weather parade. No unauthorized absentees.

E. J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629)

TUESDAY 14 NOVEMBER 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 0930 Made daily inspections of magazines and smokeless powder samples; conditions normal.

P. F. Finch  
Ensign USN

12-16 Moored as before. 1515 Here, Thomas M. SA 546-08-65 suffered 1st and 2nd degree burns on chest, neck, abdomen, and left thigh. Received treatment at sick bay. 1535 The Commanding Officer held mast and imposed non-judicial punishment as follows: Morgan, W. P., FA 540-67-14  
Offense: Violation of Articles 116 and 123 UCMJ. Punishment: Warning.

P. F. Finch  
Ensign USN

16-20 Moored as before.

P. F. Finch  
Ensign USN

20-24 Moored as before.

P. F. Finch  
Ensign USN

APPROVED:

A. W. Craig, CDR,

U. S. N. COMMANDING

EXAMINED:

Roburn LSG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE WEDNESDAY 15 NOVEMBER 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM NEWPORT, R.I. TO Berth 263, Pier 2, U.S. Naval Base

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	110	7	7	BKN	30.01	57	57						
02	120	7	7	BKN	30.01	56	56						
03	130	7	7	BKN	30.02	55	55						
04	140	7	7	BKN	30.03	55	54						
05	150	7	7	BKN	30.04	55	55						
06	160	7	7	BKN	30.05	55	55						
07	170	7	7	BKN	30.06	55	55						
08	180	6	7	BKN	30.07	57	56						
09	190	6	7	BKN	30.07	59	58						
10	200	6	7	BKN	30.07	60	60						
11	220	6	7	BKN	30.08	61	60						
12	240	6	8	CLR	30.08	62	60						
13	220	5	8	CLR	30.08	63	61						
14	210	5	8	CLR	30.09	65	64						
15	200	5	8	CLR	30.09	66	65						
16	210	5	8	CLR	30.10	66	65						
17	230	5	8	CLR	30.10	67	66						
18	230	6	8	CLR	30.11	66	65						
19	230	6	7	BKN	30.12	64	63						
20	245	6	7	BKN	30.13	62	62						
21	245	6	7	BKN	30.13	61	61						
22	245	6	7	BKN	30.13	61	61						
23	250	6	7	BKN	30.14	60	60						
24	250	5	7	BKN	30.14	60	60						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

REMARKS

ΦΦ-Φ4 Moored in berth 263 at pier #2 in Newport, R.I. in a nest of seven ships, outboard from the pier USS Yosemite (AD-19), USS Brownson (DD 362), ABBOT, USS John Willis (DE 1027), USS Dealey (DE 1006), USS Greenwood (DD 679), USS Camp (DD 251). Standard Destroyer mooring lines doubled with stern lines fore and aft. Plant is cold. Receiving miscellaneous services from the pier. SOPA is Con Deshant aboard USS Yosemite.

P. F. Finch  
Ensign USN

Φ4-Φ8 Moored as before. Φ745 Mustered the crew at quarters. No unauthorized absentees.

P. F. Finch  
Ensign USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD-629) Wednesday 15 Nov 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 0800 USS CAMP underway from the Nest.  
1100 Made daily inspection of magazines and smokeless powder  
samples. Conditions Normal.

C.F. Egan  
Ens USNR

12-16 Moored as before. 1204 Lit fires under No. 3 boiler.

C.F. Egan  
Ens USNR

16-20. Moored as before.

C.F. Egan  
Ens USNR

20-24 Moored as before.

C.F. Egan  
Ens USNR

APPROVED:

A. W. Craig, CDR U.S. N. COMMANDING

EXAMINED:

Roburn USN U.S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



# DECK LOG SHEET—TYPE B

USS Abbot (DD624) ZONE DESCRIPTION R +5 DATE Thursday 16 November, 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM Berth 263, Pier 2, - TO U.S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	360	6	7	CLR	30.12	45	45						
02	350	6	7	CLR	30.12	45	44						
03	340	6	7	CLR	30.12	45	44						
04	350	6	7	CLR	30.13	45	45						
05	355	5	7	CLR	30.14	46	46						
06	355	5	7	CLR	30.13	47	46						
07	350	4	5	OVC	30.12	48	46						
08	340	4	5	OVC	30.12	48	47						
09	350	3	5	OVC	30.10	50	49						
10	350	3	5	OVC	30.10	52	51						
11	360	3	5	OVC	30.09	54	53						
12	370	3	5	OVC	30.06	54	53						
13	375	3	7	CLR	30.04	55	54						
14	375	2	7	CLR	30.02	55	54						
15	385	1	7	CLR	30.02	55	55						
16	398	1	7	CLR	30.00	55	55						
17	395	1	7	CLR	29.98	54	54						
18	395	1	7	CLR	29.96	53	53						
19	395	1	7	CLR	29.96	55	54						
20	360	2	7	CLR	29.95	56	55						
21	365	1	7	BKN	29.95	56	56						
22	360	2	7	BKN	29.94	56	56						
23	350	3	7	BKN	29.93	56	56						
24	340	3	5	RAIN	29.92	56	56						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

## REMARKS

00-04 Moored port side to USS BROWNSON (DD868) in a row of six ships. USING STANDARD DECTOYER mooring lines doubled and STORM LINES forward and AFT Ships outward from the pier are USS YOSEMITE (AD-19), BROWNSON, ABBOT, USS John Willis (DE102) USS DEALY (DE1006) and USS GREENWICH (DE679). This ship on Cd from receiving all services from the pier. Condition of readiness FIVE and material Condition Modified Yoke are set. Ships present include units of the U.S. ATLANTIC FLEET AND DISTRICT CRAFT. SOPA is COMDESLANT aboard USS YOSEMITE.

C7 Egan  
Ens USNR

04-08 Moored port side. 0530 LTJG B.F. Bremser, USN, left the ship on 13 days annual leave 0640 Lit fire under No. 4 boiler. 0745 Mustered the crew at quarters. Absentees: None

C7 Egan  
Ens USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

ABBOT (DD-629)

Thursday 16 November 1961  
(Day) (Date) (Month)

08-12 Moored as before 0745 Mustered the crew at quarters. No unauthorized absentees. 0955 Secured #4 boiler 1000 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

P.B. Ellis  
Ensign USNR

12-16 Moored as before 1403 Secured IC switch board. 1532 Commenced taking on fresh water. 1552 Secured taking on fresh water, 3434 gallons received.

P.B. Ellis  
Ensign USNR

16-20 Moored as before.

P.B. Ellis  
Ensign USNR

20-24 Moored as before 2007 Commenced taking on fresh water. 2031 Secured taking on fresh water 3434 gallons received.

P.B. Ellis  
Ensign USNR.

APPROVED:

A. H. Craig, CDR, U.S.N. COMMANDING

EXAMINED:

Moburn USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



# DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION R(45) DATE FRIDAY 17 NOVEMBER, 19 61  
(Day) (Date) (Month)

AT/PASSAGE FROM \_\_\_\_\_ TO \_\_\_\_\_

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPERATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	070	6	6	RAIN	29.78	56	56						
02	070	7	6	RAIN	29.76	56	56						
03	080	7	6	RAIN	29.74	56	55						
04	090	5	6	RAIN	29.72	56	55						
05	095	7	6	RAIN	29.70	57	55						
06	095	7	6	RAIN	29.67	58	58						
07	100	9	6	CLC	29.68	59	59						
08	122	9	6	CLC	29.68	60	60						
09	132	8	8	CLR	29.68	61	61						
10	140	6	8	CLR	29.67	62	61						
11	148	4	8	CLR	29.66	63	62						
12	160	2	8	CLR	29.67	61	61						
13	185	3	8	CLR	29.68	61	61						
14	200	3	8	CLR	29.68	63	63						
15	210	3	8	CLR	29.68	64	63						
16	220	3	8	CLR	29.68	64	64						
17	230	3	8	CLR	29.68	62	61						
18	240	3	8	CLR	29.68	60	60						
19	260	4	8	CLR	29.67	60	60						
20	250	5	8	CLR	29.68	58	57						
21	265	4	8	CLR	29.69	55	54						
22	280	5	8	CLR	29.70	54	54						
23	275	6	8	CLR	29.71	53	53						
24	275	7	8	CLR	29.72	53	53						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

## REMARKS

00-04 Moored as before in a meet of five ships outbound from Pier #2, USS Yosemite (AD-19) USS Bronson (DD-868), Abbot, USS John Willis (DE-1027) and USS Greenwood (DE-679), at US Naval Base, Newport, Rhode Island. Abbot is in berth 223 with starboard line doubled + stern line out fore and aft. Plant is cold. Recovering power, steam, fresh water and telephone services from the pier. Modified Condition Yellow is set. SOPA is ComDahant aboard the Yosemite. Other units present include units of the U.S. Atlantic fleet, yard and district craft. Power is out in forward part of ship while painting switch board. 0110 Power restored to forward part of ship. 0205 Power is out aft of the guntrunk while painting switch board. 0215 Power restored aft of the guntrunk.

PB Ellis  
Eno. USNR

04-08 Moored as before. 0627 Hit off #4 boiler.

APPROVED:

EXAMINED:

PB Ellis  
Eno. USNR

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

Friday 17 November, 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 0925 Made daily inspection of magazine and smokeless powder samples. Conditions normal.

Eugene J. Gallagher  
ENS USNR

12-16 Moored as before. 1200 U.S.S. Yosemite (AO-19) fired a 19 gun salute to the late Hon. Sam Rayburn.

Eugene J. Gallagher  
ENS USNR

16-20 Moored as before. 1807 U.S.S. John Willis and USS Greenwood berthed out to starboard to allow U.S.S. Dealey (DE-1006) to moor to starboard. 1820 Dealey moored to starboard. 1827 Willis and Greenwood berthed in. 1855 lighted fires under number 1 boiler.

Eugene J. Gallagher  
ENS USNR

20-24 Moored as before.

Eugene J. Gallagher  
ENS USNR

APPROVED:

EXAMINED:

A. W. Craig, CDR, U. S. N. COMMANDING

Roburn U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



# DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 R DATE Saturday 18 November, 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM Berth 263, Pier 1 TO U.S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	225	8	5	OVC	29.75	44	43						
02	225	8	5	OVC	29.76	44	43						
03	225	8	5	OVC	29.77	44	43						
04	225	8	5	OVC	29.78	44	43						
05	220	9	5	OVC	29.79	44	43						
06	210	9	5	OVC	29.80	42	42						
07	200	10	5	OVC	29.80	42	42						
08	220	10	5	OVC	29.81	43	42						
09	210	11	7	CLR	29.81	44	43						
10	210	12	7	CLR	29.81	45	44						
11	200	13	7	CLR	29.80	45	44						
12	180	14	7	CLR	29.80	47	46						
13	180	12	7	CLR	29.79	47	46						
14	185	14	7	CLR	29.79	46	45						
15	190	15	7	CLR	29.79	47	46						
16	180	12	7	CLR	29.79	48	48						
17	180	10	7	CLR	29.78	46	45						
18	180	10	7	CLR	29.78	44	44						
19	180	10	7	CLR	29.78	44	44						
20	185	9	8	CLR	29.79	43	43						
21	180	8	8	CLR	29.79	42	42						
22	175	8	8	CLR	29.79	41	40						
23	183	9	8	CLR	29.80	40	40						
24	175	9	8	CLR	29.80	40	40						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

## REMARKS

00-04 Moored port side to U.S.S. <sup>EG</sup>Blondy Brownson (DD-868) in Berth 263, Pier 2 at E.H. U.S. Naval Base, Newport, R.I., in a nest of six ships, with standard destroyer mooring line, doubled, and stow lines forward and aft. Ships outboard from Pier 2: U.S.S. Goremite (AD-14), U.S.S. Brownson (DD-868), ABBOT, U.S.S. Dealey (DE-1006), U.S.S. John Willis (DE-1027) and U.S.S. Hemmwood (DE-674). Condition of readiness II and material condition Yoke are set. This ship receiving all services from the pier. SOPA is Com Desant aboard Goremite. Ships present include various units of U.S. Atlantic Fleet and local service craft.

E.J. Gallagher  
Ensign, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters, absentees: Becker, E.H., 5207350, SN, USN and Meeney, L. (n), 5325952, BT3, USN unauthorized absentees since 0730 16 November 1961.

E.J. Gallagher  
Ensign, USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

ABBOT (DD-629)

SATURDAY  
(Day)

18  
(Date)

NOVEMBER  
(Month)

1961

08-12 Moored as before 0745 Mustered the crew at quarters.  
Absentees: Bedar, E.H., 520-73-00, SN, USN since 0730 17 November 1961  
and Melney, L., 532-89-37, BT3, USN, since 0730 16 November 1961.  
0750 Lit off #1 boiler. 1000 Made daily inspection of magazines  
and smelter powder sample. Conditions normal.

PB Ellis

Ensign USNR

12-16 Moored as before.

PB Ellis

Ensign USNR

16-20 Moored as before 1730 ENS. R.A.K. Taylor, USN, 641802 returned  
aboard from TAB with NOCTC, Philadelphia, Pa. 1840 Lit off  
#2 boiler.

PB Ellis

Ensign USNR

22-24 Moored as before

PB Ellis

Ensign USNR.

APPROVED:

A. H. Craig, CDR, U.S.N. COMMANDING

EXAMINED:

Coburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD-129) ZONE DESCRIPTION R(+5) DATE SUNDAY 19 NOVEMBER, 19 61  
(Day) (Date) (Month)

AT/PASSAGE FROM \_\_\_\_\_ TO \_\_\_\_\_

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVE		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	160	6	7	CLR	29.90	38	38										
02	165	6	7	CLR	29.91	39	39										
03	165	6	7	CLR	29.92	39	39										
04	162	8	7	CLR	29.92	39	39										
05	162	6	7	CLR	29.92	38	38										
06	180	6	7	CLR	29.93	37	37										
07	185	8	7	CLR	29.95	38	37										
08	180	9	7	CLR	29.97	39	38										
09	185	10	8	CLR	29.98	41	39										
10	190	8	8	CLR	30.00	42	40										
11	210	5	8	CLR	30.02	43	42										
12	210	5	8	CLR	30.03	45	43										
13	205	5	8	CLR	30.04	48	46										
14	205	5	8	CLR	30.03	50	49										
15	210	5	8	CLR	30.02	50	50										
16	230	5	8	CLR	30.01	51	50										
17	240	5	8	CLR	30.01	51	50										
18	250	5	8	CLR	30.01	48	47										
19	260	5	7	CLR	30.01	45	45										
20	270	4	7	CLR	30.02	43	43										
21	290	4	7	CLR	30.01	42	42										
22	310	4	7	CLR	30.02	41	40										
23	320	5	7	CLR	30.03	40	40										
24	325	4	7	CLR	30.04	40	40										

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_

MID. A \_\_\_\_\_

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moored as before in berth #263 in a nest of six ships at pier #2 at US Naval Base, Newport, R.I. Outboard from the pier are USS Yosemite (AO-19), USS Bronson (DD-668), Albat, USS Peabody (DE-1006), USS John W. Allen (DE-1027) and USS Greenwood (DE-679). Standard lines doubled, with stern line out fore and aft. Buoys #1 & 2. Lot of receiving all service from the pier. Modified condition Yolo is set. SOPA is Commandant aboard the Yosemite. 0100 Commenced taking on fresh water. 0130 Seamed taking on fresh water, 660 gallons received.

CRS Ellis  
Ensign USNR

04-08 Moored as before. 0745 Mustered the crew on stations. Absentees; Redard, E.H. 520-55-50, SM, USN and 0130 14 November 1961 and Manning L. 532-49-52, BT3, USN and 0130 16 November 1961.

APPROVED:

EXAMINED:

CRS Ellis  
Ensign USNR

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

SUNDAY 19 NOVEMBER, 1961  
(Day) (Date) (Month)

08-12 Moved as before. 1000 Made daily inspection of magazine and  
ammunition powder samples. Condition normal.

PS Ellis  
Ens. USNR

12-16 Moved as before

PS Ellis  
Ens. USNR

16-20 Moved as before

PS Ellis  
Ens. USNR

20-24 Moved as before

PS Ellis  
Ens. USNR

APPROVED:

EXAMINED:

A. W. Craig, CDR, U. S. N., COMMANDING

Roburn LTJG, U. S. N., NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



# DECK LOG SHEET—TYPE B

USS ARROT (DD-629) ZONE DESCRIPTION R(5) DATE Monday 20 November, 19 61  
(Day) (Date) (Month)

AT/PASSAGE FROM \_\_\_\_\_ TO \_\_\_\_\_

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbol)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVE		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	042	4	7	CLR	30.16	36	36										
02	042	3	7	CLR	30.15	37	37										
03	042	3	7	CLR	30.14	38	38										
04	040	3	7	CLR	30.12	39	39										
05	044	3	7	CLR	30.13	40	40										
06	045	3	7	CLR	30.13	41	40										
07	045	2	7	CLR	30.13	42	41										
08	040	4	7	CLR	30.13	40	40										
09	035	5	6	OC	30.12	42	41										
10	035	5	6	RAIN	30.10	42	42										
11	040	5	6	RAIN	30.08	43	43										
12	045	5	6	RAIN	30.06	43	43										
13	060	7	5	SNOW	30.04	43	43										
14	070	8	5	SNOW	30.02	42	41										
15	080	10	5	SNOW	30.00	41	41										
16	090	12	5	RAIN	29.98	40	40										
17	100	10	4	RAIN	29.96	40	40										
18	120	10	4	RAIN	29.94	41	40										
19	140	10	4	RAIN	29.92	40	40										
20	140	10	4	RAIN	29.91	40	40										
21	150	9	4	RAIN	29.91	40	40										
22	160	9	4	RAIN	29.90	40	40										
23	160	9	4	RAIN	29.91	40	40										
24	160	8	4	RAIN	29.91	40	40										

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L. \_\_\_\_\_

MID. λ. \_\_\_\_\_

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

## REMARKS

00-04. Moored as before in berth #263 in a nest of six ships at pier #2, US Naval Base, Newport, R.I. Outboard from the pier are USS Yosemite (AD-19), USS Bronson (DD-868), USS ARROT (DD-629), USS Reaumur (DE-1086), USS John Willis (DE-1027) and USS Greenwood (DE-679). We are moored with standard line doubled and stem lines out fore and aft. The plant is cold. Receiving all service from the pier. Modified condition code is set. SOPA is Greenhamton to Yosemite. 0120 Radar, E H, 520 73 50, SK, USN returned aboard having been AWOL since 0730, 17 November 1961, a period of 2 days, 17 hours, and 50 minutes.

JES Ellis  
Ensign, USNR

04-08 Moored as before. 0410 Laid off #1 Buhr. 0530 Mearns, L, 532 69 32, PTB, USN returned aboard having been AWOL since 0730 16 November, a period of 3 days and 2 hours. 0600 USS Greenwood (DE-679) departed the nest. 0745 Mustered the crew at quarters. Absentees: Scholenski, F.T., SP5-02-11, EMFA, AWOL since 0730 this date.

APPROVED:

EXAMINED:

JES Ellis  
Ensign, USNR

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD 629)

Monday 20 November, 1961  
(Day) (Date) (Month)

08-12 Moored as before. 0920 Soboleski, F.T. 585 0211, EMFA, USA, returned on board having been o/a since 0730 this date. 0936 made daily inspection of magazines and smokeless powder samples. Conditions Normal.

C7 Egan  
Ens USNR

12-16 Moored as before. 1515 Set the Special Sea detail for Dock Trials. 1535 Secured the Special Sea detail.

C7 Egan  
Ens. USNR

16-20 Moored as before.

C7 Egan  
Ens USNR

20-24 Moored as before. 2200 Set Storm Condition III.

C7 Egan  
Ens USNR

APPROVED:

A. H. Craig, CDR, U.S.N. COMMANDING

EXAMINED:

Roburn LTJG, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS Abbot (DD-629) ZONE DESCRIPTION R + S DATE Tuesday 21 November, 19 61  
AT/PASSAGE FROM Berth 263, Pier 2, TO U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Symbol)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	260	10	6	RAIN	29.80	40	40						
02	270	8	6	RAIN	29.80	40	40						
03	280	8	6	RAIN	29.81	40	40						
04	275	9	7	CLR	29.82	41	40						
05	280	8	7	CLR	29.80	41	41						
06	285	7	7	CLR	29.81	42	42						
07	290	6	7	CLR	29.82	44	43						
08	290	6	7	CLR	29.84	46	44						
09	290	5	7	CLR	29.86	48	46						
10	290	5	7	CLR	29.88	50	48						
11	290	5	7	CLR	29.90	50	50						
12	290	5	7	CLR	29.92	50	49						
13	280	5	7	CLR	29.94	49	48						
14	270	6	7	CLR	29.96	49	48						
15	260	8	7	CLR	29.98	48	47						
16	270	9	7	CLR	30.00	46	45						
17	275	10	7	CLR	30.00	45	45						
18	280	10	7	CLR	29.99	45	44						
19	285	10	6	OVC	29.98	44	44						
20	282	8	6	OVC	29.98	44	43						
21	282	8	6	OVC	29.96	43	43						
22	292	8	6	OVC	29.94	42	42						
23	290	7	6	RAIN	29.93	43	43						
24	285	5	6	OVC	29.93	44	44						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moored port side to USS BROWNSON (DD 868) in Berth 263, Pier 2, U.S. Naval Base, Newport, R.I., using STANDARD DESTROYER MOORING LINES Doubled plus STORM LINES. Ships in the fleet, outward from the pier, are USS YOSEMITE (AD 19), BROWNSON, Abbot, USS DEALEY (DE 1006) USS WILLIS (DE 1027). This ship is on Cold Iron, receiving all services from the pier. Condition of YOSEMITE fine, modified material Condition YOK, and STORM CONDITION THREE are SET. Ships present include units of the U.S. ATLANTIC Fleet and local Service Craft. SOPA's ComDesant aboard Yosemite.

C. F. Egan  
Ensign USNR

04-08 Moored as before. 0618 Lit fires under No. 1 Boiler. 0745 Mustered the Crew at Quarters. Absentee: BURGELLE, R.A., YN3, 4TH 8667, USN, V/A SINCE 0730 THIS DATE.

C. F. Egan  
Ensign USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

TUESDAY 21 Nov. 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 1500 <sup>Made</sup> Received daily inspection of <sup>JPB</sup> magazines and modules powder samples. Conditions normal.

JPB Ellis  
Ensign USNR

12-16 Moored as before. 1515 Set sea detail for dock trials.  
1544 Secured from sea detail and dock trials.

JPB Ellis  
Ensign USNR

16-20 Moored as before 1557 Commenced taking on fresh water 1625 Secured from taking on fresh water, 6,244 gallons received.

JPB Ellis  
Ensign USNR

20-24 Moored as before

JPB Ellis  
Ensign USNR

APPROVED:

A. W. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Roburn CSE U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT 00629 ZONE DESCRIPTION +5 R DATE WEDNESDAY 22 NOV., 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM Bath 223, Pier 2, US Navy TO Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	220	6	6	ovc	29.86	44	44						
02	200	7	6	ovc	29.88	44	43						
03	230	5	6	ovc	29.90	44	43						
04	210	5	6	ovc	29.92	43	43						
05	210	8	6	ovc	29.94	43	42						
06	220	7	6	ovc	29.96	43	42						
07	210	8	6	ovc	29.98	44	44						
08	300	6	7	clr	29.96	45	45						
09	300	7	7	clr	29.96	45	45						
10	295	7	7	clr	29.97	46	46						
11	290	8	6	ovc	29.98	46	46						
12	300	6	6	ovc	29.99	46	46						
13	320	7	6	ovc	30.00	47	46						
14	335	8	6	ovc	30.01	48	47						
15	330	6	6	ovc	30.01	49	48						
16	330	5	6	ovc	30.00	50	48						
17	300	5	6	ovc	30.00	50	49						
18	290	4	6	ovc	30.01	50	50						
19	280	4	6	ovc	30.02	50	50						
20	270	3	6	ovc	30.01	50	50						
21	270	2	6	ovc	30.01	49	49						
22	270	2	5	ovc	30.00	48	48						
23	260	2	5	ovc	30.00	47	47						
24	260	2	5	RAIN	30.00	47	47						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

REMARKS

00-04 Moored astern to USS Bronson (DD-19) in a nest of five ships at Pier #2, US Naval Base, Newport R.I. Outboard from the pier are USS Yosemite (AD-19), Bronson, Abbot, USS O'Reilly (DE-1006) and USS John Willis (DE-1027). Moored with standard mooring lines doubled and storm line aft. Plant is cold. Receiving fresh water, steam power, and telephone service from the pier. SBPA is Com Des. Condition of machines I and Material Condition Yoke are set.

GB Ellis  
ENS USNR

04-06 Moored as before ~~0745~~ 0745 Mustered the crew at quarters. No unauthorized absences

GB Ellis  
Ens USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629)

WEDNESDAY 22 NOVEMBER 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 0950 Burgette, R.A. 494-86-67 YN3 returned to the ship, U.A. since 0730 21 November 1961. 1020 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

P.F. Finch  
Ens. USN

12-16 Moored as before. 1430 The Commanding Officer held mast and imposed non-judicial punishment as follows: Meeneey, R. BT3 532-89-34 Offense: UA Punishment: Restriction to the limits of ship for ten (10) days. Burgette, R.A. 494-86-67 YN3 Offense: UA Punishment: restriction to the limits of ship for five (5) days.

P.F. Finch  
Ens. USN

16-20 Moored as before.

P.F. Finch  
Ens. USN

20-24 Moored as before.

P.F. Finch  
Ens. USN

APPROVED:

EXAMINED:

A. W. Craig, CDR, U.S.N. COMMANDING

Roburn LTJG, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT 00629 ZONE DESCRIPTION 75R DATE THURSDAY 23 NOV., 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM Berth 223, Pier #2 US Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	210	2	4	FOG	30.14	49	49						
02	200	2	4	FOG	30.14	48	48						
03	190	2	4	FOG	30.13	47	47						
04	180	2	4	FOG	30.12	46	46						
05	180	2	2	FOG	30.11	46	46						
06	200	2	2	FOG	30.11	48	47						
07	220	3	4	FOG	30.10	50	49						
08	230	3	4	FOG	30.10	50	50						
09	240	3	4	OVC	30.10	49	49						
10	250	3	5	OVC	30.11	47	47						
11	265	3	5	RAIN	30.11	47	47						
12	270	3	5	OVC	30.12	47	47						
13	280	3	5	OVC	30.12	46	46						
14	290	3	5	OVC	30.12	46	46						
15	300	3	5	OVC	30.11	46	46						
16	310	3	5	OVC	30.11	48	47						
17	320	3	5	OVC	30.11	50	49						
18	330	3	5	OVC	30.12	50	50						
19	340	4	5	OVC	30.12	51	50						
20	350	4	7	CLR	30.11	49	48						
21	355	4	7	CLR	30.11	49	48						
22	350	4	7	CLR	30.10	47	47						
23	340	4	7	CLR	30.10	47	47						
24	340	4	7	CLR	30.10	48	48						

POSITION ZONE TIME

0800  
L. \_\_\_\_\_ BY \_\_\_\_\_  
λ. \_\_\_\_\_ BY \_\_\_\_\_

1200  
L. \_\_\_\_\_ BY \_\_\_\_\_  
λ. \_\_\_\_\_ BY \_\_\_\_\_

2000  
L. \_\_\_\_\_ BY \_\_\_\_\_  
λ. \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L. \_\_\_\_\_  
MID. λ. \_\_\_\_\_

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moored portside to USS Brownson (DD 868) in a nest of five ships at Pier #2, US Naval Base, Newport, R.I. Out-board from the pier are USS Yosemite (AD 19), Brownson, Abbot, USS Deaky (DE 1006) and USS John Willis (DE 1027). Moored with standard mooring lines doubled and stern lines fore and aft. Receiving miscellaneous services from the pier. SOPA is Com Des Dev Gru 2 in Brownson. Condition of readiness I and material Condition Yoke are set. This ship is in Berth 223.

P.F. Finch  
Ens USN

04-08 Moored as before. 0720 Leake, G.A., Schultz, B.W. and Vanderhey, E.G. returned to the ship by Shore Patrol. 0745 Mustered the crew on station. No un-authorized absentees.

P.F. Finch  
Ens USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

Thursday 23 November, 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 1020 Made daily inspection of magazine and  
smokeless powder samples. Conditions normal.

Eugene J. Gallagher  
Ens. USNR

12-16 Moored as before.

Eugene J. Gallagher  
Ens. USNR

16-20 Moored as before

Eugene J. Gallagher  
Ens. USNR

20-24 Moored as before

Eugene J. Gallagher  
Ens. USNR

APPROVED:

A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Roburn CS6 U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 R DATE Friday 24 November, 19 61  
AT/PASSAGE FROM Berth 263 Pier 2 TO U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	170	3	6	OVC	29.99	49	49										
02	175	3	6	OVC	29.98	47	47										
03	180	3	6	OVC	29.98	45	45										
04	180	3	4	RAIN	29.97	45	45										
05	190	3	4	RAIN	29.96	46	46										
06	200	3	4	RAIN	29.95	47	47										
07	210	3	4	RAIN	29.94	49	49										
08	220	3	4	RAIN	29.92	50	49										
09	230	3	4	RAIN	29.90	49	49										
10	240	4	4	RAIN	29.88	49	49										
11	250	4	4	RAIN	29.86	49	49										
12	260	4	4	RAIN	29.84	49	49										
13	265	4	4	RAIN	29.82	51	50										
14	265	4	4	RAIN	29.80	51	51										
15	270	3	4	RAIN	29.78	50	50										
16	282	3	4	RAIN	29.76	52	51										
17	272	3	4	RAIN	29.74	51	51										
18	280	4	4	RAIN	29.72	49	49										
19	294	4	4	RAIN	29.70	48	48										
20	295	3	4	RAIN	29.68	47	47										
21	290	2	4	RAIN	29.68	49	48										
22	290	2	4	OVC	29.67	49	49										
23	290	2	4	OVC	29.66	49	49										
24	285	2	4	OVC	29.66	49	49										

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L. \_\_\_\_\_

MID. λ \_\_\_\_\_

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moved port side to U.S.S. Brownson (DD-868) in Berth 263, Pier 2, U.S. Naval Base, Newport, R.I. with standard destroyer mooring line, doubled, and storm lines forward and aft, in a nest of five ships. Ships outboard from the pier: U.S.S. Yzenite (AD-19), Brownson, Abbot, U.S.S. Dealey (DE-1046), and U.S.S. John Willis (DE-1027). Condition of readiness IV and Material Condition Yoke are set. This ship is on Cold Iron, receiving all utilities from the pier. SOPA is Com Des Div 2 aboard U.S.S. Brownson. Ships present include various units of U.S. Atlantic Fleet, and local service craft.

Eugene J. Gallagher  
Ens. USNR

04-08 Moved as before. 0145 Mustered the crew at quarters. No unaccounted-for absentees.

Eugene J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD 629) FRIDAY 24 November 1961  
(Day) (Date) (Month)

08-12 Moored as before, 0825 Lit fires under No. 1 Boiler 0926  
Made daily inspection of magazines and smokeless powder storerooms  
Normal.

C. F. Egan  
Ensign USNR

12-16 Moored as before. 1335 Commenced taking on fuel. 1417 Secured  
from taking on fuel, having received 27,362 gallons from MO-205.

C. F. Egan  
Ensign USNR

16-20 Moored as before.

C. F. Egan  
Ensign USNR

20-24 Moored as before.

C. F. Egan  
Ensign USNR.

APPROVED:

G. H. Craig, CDR. U. S. N. COMMANDING

EXAMINED:

Robert L. H. 1756 U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION R + 5 DATE Saturday 25 November, 19 61  
AT/PASSAGE FROM Berth 263, Pier 2, TO U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbol)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WIND		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	290	3	6	OVC	29.76	50	50										
02	290	3	6	OVC	29.78	50	50										
03	280	5	6	OVC	29.80	50	50										
04	275	7	6	OVC	29.82	49	48										
05	273	7	7	CLR	29.84	49	48										
06	273	7	7	CLR	29.86	49	48										
07	260	7	7	CLR	29.88	48	47										
08	250	6	7	CLR	29.90	47	46										
09	240	6	8	CLR	29.92	48	47										
10	230	7	8	CLR	29.94	49	49										
11	220	7	8	CLR	29.96	52	51										
12	215	9	8	CLR	29.98	54	53										
13	210	10	8	CLR	30.01	53	52										
14	220	12	8	CLR	30.03	53	52										
15	220	10	8	CLR	30.04	54	52										
16	210	9	8	CLR	30.05	54	54										
17	210	7	8	CLR	30.05	54	54										
18	210	10	8	CLR	30.05	54	53										
19	200	10	8	CLR	30.04	52	52										
20	200	11	7	CLR	30.04	50	50										
21	188	12	7	CLR	30.04	49	48										
22	190	12	7	CLR	30.04	49	49										
23	190	12	7	CLR	30.04	49	49										
24	180	12	7	CLR	30.05	49	49										

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L. \_\_\_\_\_  
MID. A. \_\_\_\_\_

MILES STEAMED 0000-2400 \_\_\_\_\_

FUEL CONSUMED 0000-2400 \_\_\_\_\_

REMARKS

00-04 Moved port side to USS BROWNSON DD 868 in Berth 263, Pier 2, U.S. Naval Base, Newport, R.I., using STANDARD DESTROYER mooring lines double plus 8" Storm Lines, to Pier 2 Forward and Aft. Ships in the west, outboard from the Pier, are USS YOSEMITE (AD-19) BROWNSON, ABBOT, USS DEALEY (DE-100) and USS John Willis (DE-1027). This ship is on Col'd Iron receiving all services from Pier 2. Condition of Readiness FIVE and Modified Material Condition YALC are set. Ships present include units of the U.S. ATLANTIC FLEET and Local Harbor Craft. SOPA is ComDes Div Grp 2 aboard BROWNSON.

C. F. Egan  
Ensign USN

04-08 Moved to station. 0745 Mustered the Crew at Quarters. Unauthorized Absentees: R.E. SELL, 585 89 14 FA USN, and T.C. BALLARD, SA, USN, 520 53 51, both V/A since 0730 this date.

C. F. Egan  
Ensign USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

SAT 25 NOV 19 61  
(Day) (Date) (Month)

08-12 Moved as before. 0904 USS John Willis (DE 1027) underway from port. 0925 Made daily inspection of magazines and smokeless powder samples; conditions normal.

*LT Bayley*  
Ens USN

12-16 Moved as before.

*LT Bayley*  
Ens USN

16-20 Moved as before. 1624 Held fire drill. 1635 Secured from fire drill; results: satisfactory. 1815 Commenced taking on fresh water. 1845 Completed taking on fresh water, having received 5084 gallons.

*LT Bayley*  
Ens USN

20-24. Moved as before.

*LT Bayley*  
Ens USN

APPROVED:

*A. H. Craig*, CDR, U. S. N. COMMANDING

EXAMINED:

*Roburn* LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT 00629 ZONE DESCRIPTION +5R DATE SVNDRY 26 NOV., 19 61  
(Day) (Date) (Month)

AT/PASSAGE FROM \_\_\_\_\_ TO \_\_\_\_\_

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVE		POSITION	ZONE	TIME
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)			
01	219	10	6	SCT	30.13	47	47									
02	215	10	6	SCT	30.14	47	47									
03	215	10	6	SCT	30.14	47	47									
04	220	10	6	SCT	30.14	45	45									
05	230	8	7	CLR	30.15	47	46									
06	240	8	7	CLR	30.15	46	45									
07	230	6	7	CLR	30.14	47	46									
08	225	6	7	CLR	30.16	47	46									
09	240	4	8	CLR	30.18	47	46									
10	240	4	8	CLR	30.19	48	47									
11	245	4	8	CLR	30.20	50	49									
12	240	4	8	CLR	30.19	50	50									
13	240	4	8	CLR	30.19	50	50									
14	240	4	8	CLR	30.20	50	50									
15	245	4	8	CLR	30.20	50	50									
16	245	4	8	CLR	30.18	50	50									
17	245	5	8	CLR	30.16	50	50									
18	250	6	8	CLR	30.15	50	50									
19	250	6	8	CLR	30.14	49	48									
20	240	6	8	CLR	30.12	47	46									
21	250	5	8	CLR	30.12	45	44									
22	250	5	8	CLR	30.10	44	44									
23	260	6	8	CLR	30.10	44	44									
24	260	7	8	CLR	30.09	44	44									

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L. \_\_\_\_\_  
MID. λ. \_\_\_\_\_

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moved port side to USS Brownson (DD-868) in a west of four ships using standard destroyer mooring lines doubled plus one 8 inch stern line forward and aft. Ships outboard from the pier are: USS YOSEMITE (AD-19), USS BROWNSON, USS ABBOT, and USS DEALEY (DE-1006); ABBOT in berth 263, pier two, US Naval Base Newport, R.I. Material condition YOKO (modified) and conditions readings I are set. SOPA is ComDes Debr 2 in Brownson. Receiving all services from the pier. Ships present include units of US Atlantic Fleet plus harbor craft.

CT Bayley  
Ensign USN

04-08 Moved as before.

CT Bayley  
Ensign USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

Sunday 26 Nov, 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 0800 Mustered the crew at on station; <sup>en</sup> unauthorized absentees: SELL, R.E., 585 85 14, FA, USN, VA since 0730 25 Nov 61, and BALLARD, T.C. SA, USN, VA since 0730 25 Nov 61. 0805 Commenced taking on fresh water from the pier. 0815 ~~over~~ completed taking on fresh water, having received 2004 gallons. 0945 Made daily inspection of magazines and smokeless powder samples, conditions: normal.

*(Signature)*  
Ringsn USN

12-16 Moored as before.

*(Signature)*  
Ringsn USN

16-20 Moored as before. 1803 Commenced taking on fresh water from the pier. 1820 Completed taking on fresh water, having received 2784 gallons.

*(Signature)*  
Ringsn USN

20-24 Moored as before. 2015 SELL, R.E., 585 85 14, FA, USN returned to the ship, having been VA since 0730 25 Nov 61.

*(Signature)*  
Ringsn USN

APPROVED:

EXAMINED:

*(Signature)* CDR, U.S.N. COMMANDING

*(Signature)* LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION FSR DATE MONDAY 27 NOV. 19 61  
AT/PASSAGE FROM U.S. Naval Base Newport, R.I. TO R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVE	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	180	5	7	CLR	29.93	45	41						
02	180	3	7	CLR	29.92	45	41						
03	300	4	7	CLR	29.90	45	41						
04	290	4	7	CLR	29.88	45	41						
05	280	4	7	CLR	29.88	44	41						
06	275	2	7	CLR	29.88	44	40						
07	270	2	7	CLR	29.88	45	40						
08	260	2	7	CLR	29.88	46	41						
09	240	2	7	CLR	29.87	47	42						
10	230	2	7	CLR	29.85	48	43						
11	220	4	7	BKN	29.87	51	46						
12	210	4	7	BKN	29.89	54	49						
13	200	5	7	BKN	29.87	54	49						
14	210	7	7	BKN	29.85	52	47						
15	200	8	5	BKN	29.83	50	45						
16	210	10	5	OVC	29.82	48	43						
17	220	9	5	OVC	29.80	48	43						
18	230	7	5	OVC	29.79	48	43						
19	250	10	5	OVC	29.78	48	43						
20	240	13	5	OVC	29.76	48	43						
21	250	18	5	RAIN	29.76	48	43						
22	245	16	5	RAIN	29.76	48	43						
23	250	18	5	OVC	29.78	47	43						
24	260	19	5	OVC	29.78	47	43						

POSITION ZONE TIME

0800  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

1200  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

2000  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L. \_\_\_\_\_  
MID. λ. \_\_\_\_\_

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moved portside to USS BROWNSON (DD-868), at Berth 263  
of four ships at pier 2 U.S. Naval Base, Newport, Rhode Island,  
making standard destroyer mooring lines doubled plus 8 inch  
storm lines forward and aft. Ships outboard from  
the pier are: USS YOSEMITE (AD-19), BROWNSON, ABBOT,  
and USS DEALEY (DE-1006). Material condition YOK (modified)  
and condition of readiness I are set. Receiving all services  
from the pier. Ships present include units of the Atlantic  
Fleet plus harbor craft. SARA is Commander DEB 2 in  
BROWNSON.

OT Bayley  
Ensign

04-08 Moved as before. 0500 BALLARD, T.C. SA, USN,  
returned to the ship having been UA since 0730 25 Nov 61.  
0745 Mustered the crew at quarters. Unauthorized absentees:  
HARVEY, H.W., 531-37-84, SA, USN; HEROD, A.M., 52059-96, YNSN, USN;

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) MONDAY 27 NOV 61  
(Day) (Date) (Month)

04-08 (continued) DEMATTEO, B.D., 585-13-91, SMSN, USN;  
BRUCE, R.J., 479-70-56, SN, USN; AIKINS, J.W., 532 09 14, SA/USN,  
COLLINS, R.R., 572 47 70, SH3, USN; and TOBE, J.W., 527 02 04,  
SA, USNR; all UA since 0730 this date. 0751 USS DEALEY (DE1006)  
underway from rest.

~~74 08-12~~

C.T. Bailey  
Ens USN

08-12 Moored as before. 0900 Set condition YOKE. 1000  
Made daily inspection of magazines and smokeless  
powder samples. Conditions normal. 1020 Set the  
Special Sea and Anchor Detail. OOD shifted his watch to the  
bridge. 1044 Underway in accordance with Desant  
Engineering School Operations. Manuevering on various courses  
and at various speeds while standing out the channel.  
1120 Secured the Special Sea and Anchor Detail, set the  
regular underway watch.

P.T. Finch  
Ens USN

12-16 Steaming as before. 1302 Held General Quarters  
for training and instruction. 1332 Held Abandon  
Ship drill. 1401 Secured from General Quarters. 1440  
Set the Special Sea and Anchor Detail. Manuevering  
on various courses and speeds while standing into port.  
1516 Moored starboard side to Pier #2 in berth 211  
US Naval Base Newport, R.I. 1534 Secured the  
Special Sea and Anchor Detail. OOD shifted the watch to  
the Quarterdeck. 1535 Collins, R.R. 572 47 70 SH3, Herod, AM.  
520-59-96 YNSN, Bruce, R.J. 479-70-56 CSSN, DeMatter, B.D. 585-13-91  
SMSA, Akins, J.W. 532-09-14 SA, Tobe, J.W. 527-02-04 SA, and  
Harvey, H.W. 531-37-84 SA reported aboard, all UA since 0730  
this date.

P.T. Finch  
Ens USN

16-20 Moored as before. 1644 Conducted fire drill. 1647 Secured  
from fire drill.

P.T. Finch  
Ens USN

20-24 Moored as before. 2115 Roberts, W.E. 593-69-72 FA,  
Laganelli, M.T. 585-28-25 FA, Simpson, W.A. 290-02-60 FN, were  
returned to the ship by Shore Patrol. Offenses: Roberts, possessing  
a falsified ID card, Laganelli, possessing a mutilated ID card.  
Simpson, no charges.

P.T. Finch  
Ens USN

APPROVED:

EXAMINED:

A. H. Craig, COE, U.S.N. COMMANDING

Moburn LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION 15 R DATE TUESDAY 28 NOVEMBER, 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM Pier #2, Berth 211, US Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	195	19	7	CLR	29.62	37	36						
02	200	19	7	CLR	29.61	36	35						
03	200	20	7	CLR	29.60	35	34						
04	200	20	7	CLR	29.62	35	33						
05	220	20	7	CLR	29.63	33	32						
06	240	15	7	CLR	29.64	31	30						
07	260	18	7	CLR	29.62	30	30						
08	280	13	8	CLR	29.60	30	30						
09	280	13	8	CLR	29.59	32	31						
10	280	13	8	CLR	29.58	32	31						
11	290	14	6	SCT	29.57	31	30						
12	280	17	6	SCT	29.55	33	32						
13	280	19	6	SCT	29.54	33	31						
14	290	20	6	SCT	29.53	32	30						
15	300	18	6	SCT	29.51	33	31						
16	280	19	6	SCT	29.51	32	30						
17	270	20	6	SCT	29.50	31	30						
18	260	20	6	SCT	29.50	31	30						
19	240	19	6	SCT	29.50	31	30						
20	225	18	6	SCT	29.51	31	30						
21	220	17	6	SCT	29.51	31	30						
22	200	16	6	SCT	29.50	30	30						
23	175	18	5	S/NOV	29.52	30	30						
24	175	20	5	SNOW	29.52	30	30						

POSITION ZONE TIME

0800  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

1200  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

2000  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_  
MID. λ \_\_\_\_\_

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moored starboard side to Pier #2 in berth 211 at US Naval Base, Newport, R.I. Moored with standard mooring lines doubled and stern lines fore and aft. Bailer #2 and the #1 auxiliary plant are lit off to supply services to the ship. SOPA is Com Des Dev Que 2 in USS Brownson (DD 868). Condition of readiness I and material condition Yoke are set.

P. J. Finch  
Ensign USN

04-08 Moored as before. 0745 mustered the crew at quarters. No unauthorized absentees.

P. J. Finch  
Ensign USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

Tuesday 28 November, 1961  
(Day) (Date) (Month)

08-12 Moored as before. 1000 Commenced preparations for getting underway. 1015 Draft: forward 13'8" aft 13'6". 1020 Let the Special Sea Detail. 1054 Made daily inspection of magazine and smokeless powder samples; conditions normal. Made weekly test of magazine sprinkling and flooding system; conditions satisfactory. Degaussing lit off. 1055 Completed preparations for getting underway. Captain and Navigator are on the bridge. 1059 Underway in accordance with Desfont Engineering School Operating Schedule (Underway phase). 1100 Maneuvering on various courses and speeds while standing out of channel. 1118 Rose Island Light abeam to port. 1122 Buoy #11 abeam to starboard. 1128 Castle Hill Light abeam to port. 1135 Brenton Reef Lightship abeam to starboard. Secured the Special Sea Detail. Maneuvering on various courses and speeds while conducting Engineering Drills.

E. J. Gallagher  
Ensign USNR

12-16 Steaming as before. 1300 Exercised the crew at General Quarters. 1316 Secured from General Quarters. 1446 Let the Special Sea Detail. 1454 Brenton Reef Lightship abeam to port. 1509 Castle Hill Light abeam to starboard. 1515 Buoy #11 abeam to port. 1520 Rose Island Light abeam to starboard. 1525 Captain has the Conn. Maneuvering on various courses and speeds while standing into port. 1536 Sustained slight damage to starboard side while approaching pier. 1538 Moored starboard side to Pier 2, in Berth 211, U.S. Naval Base, Newport R.I., with standard destroyer mooring line, doubled. 1550 Secured the Special Sea Detail.

Eugene J. Gallagher  
Ensign USNR

16-20 Moored as before.

Eugene J. Gallagher  
Ensign USNR

20-24 Moored as before.

Eugene J. Gallagher  
Ensign USNR

APPROVED:

EXAMINED:

A. W. Craig, CDR, U. S. N. COMMANDING

Roburn LSG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



# DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 R DATE Wednesday 29 November, 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM Berth 211, Pier 2 TO U.S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	180	25	5	SNOW	29.50	28	28						
02	190	24	5	SNOW	29.51	27	27						
03	200	23	5	SNOW	29.51	27	27						
04	210	20	7	CLR	29.52	29	28						
05	220	18	7	CLR	29.54	31	30						
06	240	17	7	CLR	29.56	32	31						
07	250	16	7	CLR	29.58	33	32						
08	260	15	7	CLR	29.59	33	32						
09	270	17	7	CLR	29.60	34	33						
10	280	17	7	CLR	29.60	34	34						
11	285	18	7	CLR	29.61	33	31						
12	285	20	6	BRN	29.60	35	33						
13	295	21	6	BRN	29.58	38	36						
14	305	20	6	SCT	29.60	38	36						
15	315	16	6	SCT	29.60	36	34						
16	320	15	6	SCT	29.61	36	34						
17	300	15	6	SCT	29.62	35	33						
18	290	15	7	SCT	29.64	35	33						
19	270	15	7	CLR	29.66	33	31						
20	270	15	7	CLR	29.68	35	33						
21	260	15	7	CLR	29.70	34	33						
22	250	13	7	CLR	29.71	34	34						
23	240	10	7	CLR	29.72	34	34						
24	230	10	7	CLR	29.72	33	33						

POSITION ZONE TIME

0800 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

1200 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

2000 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_

MID. λ \_\_\_\_\_

MILES STEAMED 0000-2400

\_\_\_\_\_

FUEL CONSUMED 0000-2400

\_\_\_\_\_

## REMARKS

00-04 Moved starboard side to Pier 2, in Berth 211 at U.S. Naval Base, Newport, R.I., with standard dewatering mooring line, doubled, and 8" storm line forward and aft. Condition of moorings V and Material Condition yoke are set. This ship receiving miscellaneous utilities from the pier. Boiler 3, Generator 2 are lit off for auxiliary purposes. SOA is U.S.S. Arcadia (AD-16) Ships present include various units of U.S. Atlantic Fleet and local reserve craft.

Eugene J. Gallagher  
Ens. USNR

04-08 Moved as before. 0745 Mustered the crew at quarters; no unauthorized absentees.

Eugene J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

WEDNESDAY 29 NOVEMBER, 19 61  
(Day) (Date) (Month)

08-12 Moved as before 0858 Lit off #2 Boiler 1000 Sit material condition  
Yoke. Made daily inspection of magazines and smokeless powder  
samples. Conditions normal. 1057 Underway in accordance  
with Descent Engineering school operational schedule. Manuevering  
at various courses and speeds while clearing berth and conforming  
to channel. 1134 Passed Brenton light ship abeam to port. *PB Elli*  
*Ens. USNR*

12-16 ~~Underway~~ Steaming as before on various courses at various speeds *PB*  
while conducting engineering drills. 1430 Passed Brenton  
light ship abeam to port. Manuevering at various courses  
at various speeds while entering port. 1510 Moved  
starboard side to pier two in berth 211 at US Naval Base,  
Newport, R.I., with standard lines doubled.

*PB Elli*  
*Ens. USNR*

16-20 Moved as before 1756 Lost #2 boiler and #1 generator due to loss of  
hot feed section in boiler 1812 #2 boiler and #2 generator  
on the line.

*PB Elli*  
*Ens. USNR*

20-24 Moved as before

*PB Elli*  
*Ens. USNR*

APPROVED:

EXAMINED:

*A. H. Craig, CDR*, U. S. N. COMMANDING

*Roburn LTJG*, U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



# DECK LOG SHEET—TYPE B

USS ABBOT DD 629 ZONE DESCRIPTION +5 R DATE THURSDAY 30 NOVEMBER, 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM BERTH 212, PIER 2 TO U.S. NAVAL BASE, NEWPORT, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	265	15	8	CLR	29.83	35	34						
02	270	15	8	CLR	29.85	35	35						
03	270	13	8	CLR	29.88	35	35						
04	270	10	8	CLR	29.89	35	35						
05	280	10	8	CLR	29.90	35	35						
06	285	10	8	CLR	29.92	36	35						
07	280	10	8	CLR	29.94	35	34						
08	285	10	8	CLR	29.95	35	34						
09	300	10	8	CLR	29.96	36	35						
10	310	10	8	CLR	29.98	36	35						
11	320	12	8	SET	29.99	37	36						
12	315	10	8	SET	29.98	40	38						
13	320	12	8	SET	29.96	43	41						
14	315	10	8	SET	29.97	46	44						
15	310	11	8	CLR	29.99	44	42						
16	325	9	8	CLR	29.98	42	41						
17	320	8	8	CLR	29.99	41	40						
18	315	9	8	CLR	29.98	41	39						
19	320	8	8	CLR	30.00	40	39						
20	300	9	8	CLR	30.02	38	36						
21	292	9	8	CLR	30.04	35	35						
22	290	9	8	CLR	30.06	34	34						
23	290	9	8	CLR	30.08	33	35						
24	288	11	8	CLR	30.08	31	31						

POSITION ZONE TIME

0800 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

1200 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

2000 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L. \_\_\_\_\_

MID. λ. \_\_\_\_\_

MILES STEAMED 0000-2400

\_\_\_\_\_

FUEL CONSUMED 0000-2400

\_\_\_\_\_

## REMARKS

00-04 Moored in berth 211 at Pier Two at the U.S. Naval Base, Newport, R.I., with standard line doubled and 8" storm lines out fore and aft. Number two boiler and number two generator are on the line for auxiliary purposes. Receiving fresh water and telephone services from the pier. SOPA is Comdesgrov 2 embarked in USS Brownson (DD-868). Other ships present include various units of the U.S. Atlantic Fleet, yard, and local district craft.

0205 Commenced taking on fresh water 0225. Scurved from taking on fresh water, 7079 gallons received.

P.B. Ellis  
ENS USNR

04-08 Moored as before 0647 Commenced taking on fresh water 0654 Scurved from taking on fresh water, 2740 gallons received 0745 Mustered the crew at quarters. Heckman, W.F., 903 25 52, SN, USN, AWOL since 0730 this date. 0750 Heckman, W.F., 903 25 52, SN, USN, returned aboard having been AWOL since 0730 this date, a period of twenty minutes.

APPROVED:

EXAMINED:

P.B. Ellis  
ENS USNR

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD-629)

Thursday 30 Nov 1961  
(Day) (Date) (Month)

08-12 Moored as before. 1030 Stationed the Special Sea Detail. 1057 Underway in accordance with DesLantis Engineering School Operational Schedule. Maneuvering on various courses and speeds to conform to the channel. Draft; 13' 6" fwd. 13' 5" aft. 1116 Passed Rose Island Light abeam to Port. 1120 Passed buoy No. 11 abeam to Stbd. 1125 Passed Castle Hill Light abeam to Port. 1135 Passed Brenton Reef Lightship abeam to Stbd. Secured the Special Sea Detail. Commenced maneuvering on various courses and speeds while conducting Engineering Drills. 1140 Made daily inspection of magazines and smokeless powder samples. Conditions Normal.

C. F. Egan  
Ensign

12-16 Steaming as before. 1300 Exercised the crew at General Quarters. 1340 Secured from General Quarters. 1439 Stationed the Special Sea Detail. 1443 Passed Brenton Reef Lightship abeam to Port. 1454 Passed Castle Hill Light abeam to Stbd. 1500 Passed buoy No. 11 abeam to Port. 1504 Passed Rose Island Light abeam to Stbd. 1522 Moored Stbd Side to Pier 2, berth 211, U.S. Naval Base, Newport, R.I. Using Standard mooring line doubled. 1527 Secured the Special Sea Detail.

C. F. Egan  
Ensign

16-20 Moored as before.

C. F. Egan  
Ensign

20-24 Moored as before.

C. F. Egan  
Ensign

APPROVED:

A. W. Craig, CDR, U.S.N. COMMANDING

EXAMINED:

Robert C. St, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH